

CATALOGED BY DDC 409136
AS AD No. 409136

ARL-TDR-63-17

CHARACTERIZATION OF HORMONAL STEROIDS
OF THE CHIMPANZEE

Enrico Forchielli, Ph.D.
Fred Elmadjian, Ph. D.

TECHNICAL DOCUMENTARY REPORT NO. ARL-TDR-63-17


May 1963

6571st Aeromedical Research Laboratory
Aerospace Medical Division
Air Force Systems Command
Holloman Air Force Base, New Mexico

Project 6892, Task 68921

(Prepared under Contract No. AF 29(600)-2439 by
the Worcester Foundation for Experimental Biology,
Shrewsbury, Massachusetts.)

NO OTS



Qualified requesters may obtain copies of this report from DDC. Orders will be expedited if placed through the librarian or other person designated to request documents from DDC.

This document may be reproduced to satisfy official needs of US Government agencies. No other reproduction authorized except with permission of 6571st Aeromedical Research Laboratory, Holloman AFB, New Mexico.

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related government procurement operation, the government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This document made available for study upon the understanding that the US Government's proprietary interests in and relating thereto, shall not be impaired. In case of apparent conflict between the government's proprietary interests and those of others, notify the Staff Judge Advocate, Air Force Systems Command, Andrews Air Force Base, Washington 25, D.C.

Do not return this copy. Retain or destroy.

FOREWORD

The authors acknowledge the invaluable participation of Captain Erwin R. Archibald, Captain William E. Ward, and Captain Thomas L. Gleason, III, who were project officers during the course of these studies.

Appreciation is also expressed to Captain (Dr.) Jerry Fineg, who as Chief of Vivarium, directed blood sampling and urine collections, and Major (Dr.) Robert H. Edwards for his professional advice.

Recognition of the technical assistance of the following personnel is also in order: MSgt Edward C. Dittmer, ALC Charles H. S. Watkins, and ALC George V. Pegram.

The authors are deeply indebted to colleagues at the Worcester Foundation for Experimental Biology, particularly Dr. Constantin Gherondache, Mr. Edwin T. Lamson, and Mr. Norman Gibree for the technical aspects relating to the determinations reported in this document.

Finally, appreciation is expressed for the valuable advice and support of Dr. Gregory Pincus and Dr. Ralph I. Dorfman.

ABSTRACT

This report attempts to establish (a) the qualitative and quantitative nature of steroid hormones of the chimpanzee, and (b) to report changes observed in adrenal cortical functions during simulated and actual space flights. Steroid determinations made include: Blood: plasma 17-hydroxycorticosteroids (17-OHCS) and cholesterol; Urine: 17-OHCS, 17-ketosteroids (17-KS), estrone, estradiol, estriol, pregnanediol, pregnanetriol, and aldosterone. Quantitative chromatography of 17-KS was also accomplished. Analyses were made on both the mature and immature chimpanzee.

PUBLICATION REVIEW

This technical documentary report has been reviewed and is approved.



HAMILTON H. BLACKSHEAR
Lt Colonel, USAF, MC
Commander,
6571st Aeromedical Research Laboratory

CARE AND HANDLING OF THE SUBJECTS

The animals used in this study were handled in accordance with the "Principles of Laboratory Animal Care" established by the National Society for Medical Research.

TABLE OF CONTENTS

	Page
I. INTRODUCTION AND PURPOSE	1
II. EXPERIMENTAL DESIGN	1
III. CHARACTERIZATION OF STEROIDS	2
A. 17-Hydroxycorticosteroids (17-OHCS) and 17-Ketosteroids (17-KS)	2
B. Chromatography of 17-KS	3
C. Aldosterone Excretion	3
D. Plasma 17-Hydroxycorticosteroids	3
E. Pregnanediol and Pregnanetriol Excretion	7
F. Estrogens	7
IV. ADRENAL CORTICAL CHANGES DURING SIMULATED AND ACTUAL SPACE FLIGHTS	10
A. 17-Hydroxycorticosteroids (17-OHCS) and 17-Ketosteroids (17-KS)	10
B. Plasma Cholesterol and 17- Hydroxycorticosteroids	13
V. CONCLUSIONS	14
VI. RECOMMENDATIONS	14
REFERENCES	15

LIST OF ILLUSTRATIONS

Table

I. 17-Hydroxycorticosteroids (17-OHCS) and 17-Ketosteroids (17-KS) Excretion of Immature Chimpanzee on Control Day	2
II. 17-Ketosteroids - Chimpanzee No. 3 (VICKIE)	4
III. Aldosterone Excretion in Immature Female Chimpanzee	5

Table		Page
IV.	Pregnanediol and Pregnanetriol Excretion of Immature Chimpanzee	5
V.	Pregnanediol and Pregnanetriol on Mature Female Chimpanzee	8
VI.	Excretion of Estrogens in Immature Male Chimpanzee (No. 42)	9
VII.	Estrogen Excretion of Adult Female Chimpanzee "VICKIE"	10
VIII.	Urinary 17-Ketosteroids	11
IX.	Urinary 17-Hydroxycorticosteroids	12
X.	Plasma Cholesterol	13

CHARACTERIZATION OF HORMONAL STEROIDS OF THE CHIMPANZEE

I. INTRODUCTION AND PURPOSE

The choice of the chimpanzee as a species of primate for studying biological aspects of space flight was prompted by its capabilities in psychomotor testing and its relatively small size. The animals studied were those participating in the Project Mercury program and were located at the Air Force Missile Development Center, Holloman Air Force Base, New Mexico. Characterization of steroid hormones of the chimpanzee was desirable for purposes of evaluating the hormonal adjustment in space flight. The results obtained would be of value to predict the possible changes that might occur in human space flights. This is a preliminary report attempting to establish (a) qualitative and quantitative nature of steroid hormones of this species, and (b), to report changes observed in adrenal functions during simulated and actual space flights. Steroid determinations made include: Blood: plasma 17-hydroxycorticosteroids (17-OHCS) (Ref. 1) and cholesterol (Ref. 2); Urine (17-OHCS) (Ref. 3), 17-ketosteroids (17-KS)(Ref. 4); Estrone, estradiol, estriol (Ref. 5), pregnanediol, pregnanetriol (Ref. 6), and aldosterone (Ref. 7). Quantitative chromatography of 17-KS was also accomplished (Ref. 8). Analyses were made on both the mature and immature chimpanzee.

II. EXPERIMENTAL DESIGN

The immature chimpanzee was subjected to stresses involving (a) temperature humidity test (TH1): sitting 20 hours at temperatures of 70 and 80°F ("the thermally neutral"); 85, 90, 95, and 100°F ("thermally stressful") with 50 percent humidity, without food and water; (b) acceleration and deceleration tests (AD) simulating launch and re-entry conditions, and (c), actual suborbital flight of chimpanzee No. 65 (HAM) (MR-2)*.

Each experiment was carried out over a 5-day period, with blood sample No. 1 collected on the morning of the first day (control), sample No. 2 collected immediately after termination of the stress, which took place on the second day, and sample No. 3 collected 48 hours after termination of the stress test. Urine collections were scheduled so that there were two collections for each day: the first sample from 0730 to 1600 (day) and the second sample from 1600 to 0730 (night) the following day, and so on for a total of ten samples.

*Mercury Redstone 2

III. CHARACTERIZATION OF STEROIDS

A. 17-Hydroxycorticosteroids (17-OHCS) and 17-Ketosteroids (17-KS)

Table I presents the data of the control day which was divided into day (collection 0730-1600) and night (1600-0730) samples. It will be noted that the immature chimpanzee indicates the possibility of a diurnal variation in both 17-OHCS and 17-KS excretion. The mean daily excretion of 17-OHCS of immature chimpanzees is 2.8 mg. while that of the adult chimpanzee is 3.8 mg. The 17-KS excretion of 4.0 mg. per day for the immature chimpanzee is somewhat higher than the 17-OHCS excretion.

TABLE I

17-HYDROXYCORTICOSTEROIDS (17-OHCS) and
17-KETOSTEROIDS (17-KS) EXCRETION OF
IMMATURE CHIMPANZEE ON CONTROL DAY*

	DAY (0730-1600)	NIGHT (1600-0730)
17-OHCS	.16 ± .028 (20)	.10 ± .017 (23)
17-KS	.23 ± .030 (9)	.13 ± .013 (12)

*mg/20 mg. creatinine

There are two factors which should be mentioned in evaluating the above data. Chimpanzee urine, when processed for 17-OHCS determinations, frequently gave a high pink blank value. Approximately 20 percent of the urine samples analyzed gave such high blanks that no value could be obtained. It is highly possible that the tendency for high blanks reduced the titer in a large proportion of determinations obtained. As for the 17-KS, it was discovered that only 33 to 63 percent of the total Zimmerman titer was recovered quantitatively after chromatography procedure.

B. Chromatography of 17-KS

Preliminary results of chromatography analysis of the urine of immature chimpanzees indicated the presence of 11 β -hydroxyetiocholanolone, 11 β -hydroxyandrosterone, dehydroepiandrosterone and traces of etiocholanolone and androsterone. Quantitative estimations were not feasible because of the small amounts. The quantitative results of three daily collections obtained from adult chimpanzee No. 3 (VICKIE) are presented in Table II. During the course of the collection there was some question of whether chimpanzee No. 3 (VICKIE) was pregnant; however, on 3 April 1961, menstruation was recorded for this chimpanzee.

All samples were hydrolyzed enzymatically with β -glucuronidase and chemically using the solvolysis method (Ref. 9). Individual 17-KS were analyzed after paper chromatographic separation. It should be noted that only 33 to 63 percent of the total 17-KS was recoverable quantitatively. Normal human urine so processed in our laboratories indicate 80 to 90 percent recoverable material. It appears from these data that significant amounts of non-specific chromogens are measurable in the total 17-KS urine of this adult female chimpanzee. These results permit us to consider that the 17-KS excretion of the mature female chimpanzee parallels qualitatively and quantitatively the data observed for the human (Ref. 10, 11, 12, 13, 14).

C. Aldosterone Excretion

Twenty-four hour urine samples are necessary for aldosterone determination. The values for the immature chimpanzee, ranging from 0.00 to 2.2 mcg. per day are presented in Table III. We have had results indicating that the immature chimpanzee is capable of excreting as high as 27.7 mcg. per day under the stress of 90°F and the deprivation of both food and water.

D. Plasma 17-Hydroxycorticosteroids

All the data available for plasma 17-OHCS on the immature chimpanzee are depicted in the figure on page 6. It will be noted that the values for blood samples No. 1 (pre-stress) and No. 3 (post-stress) show similar distributions indicating that the "basal" 17-OHCS ranges from 10 to 20 mcg. percent. Normal values for human subjects as well as for the Rhesus monkey are within this range.

TABLE II
17-KETOSTEROIDS - CHIMPANZEE NO. 3 (VICKIE)
mcg/1.0 g. creatinine

Total 17-KS	4430	8230	3600
<u>Chromatography of 17-KS</u>			
11-OH-E	222	355	240
11-OH-A	139	139	100
11-K-E	612	854	948
11-K-A	185	299	73
DHEA	408	512	483
Etio	231	270	204
Andro	174	244	225
Pre-andro	78	40	48
Polar Res.	26	46	256

Abbreviations:

11-OH-E:	11 β -Hydroxyetiocholanolone
11-OH-A:	11 β -Hydroxyandrosterone
11-K-E:	11-Ketoetiocholanolone
11-K-A:	11-Ketoandrosterone
DHEA:	Dehydroepiandrosterone
Etio:	Etiocholanolone
Andro:	Androsterone
Pre-andro:	Any material on chromatogram less polar than androsterone.
Polar Res:	Chromogenic material remaining at the origin of paper chromatograms.

TABLE III
ALDOSTERONE EXCRETION IN
IMMATURE FEMALE CHIMPANZEE

Chimpanzee No.	Total Creatinine	Aldosterone mcg/0.5 g Creat.**
35	372	0.60
41*	421	23.70
46	500	1.00
46	423	1.20
46	465	2.20
49	645	0.00
49*	813	27.70
50	692	1.50

* After Stress

** Equivalent to daily excretion

TABLE IV
PREGNANEDIOL AND PREGNANETRIOL EXCRETION
OF IMMATURE CHIMPANZEE*

	N	Mean
Pregnanediol	23	.23 (.04-.60)
Pregnanetriol	22	.40 (.18-.83)

*mg/day

E. Pregnanediol and Pregnanetriol Excretion

The pregnanediol and pregnanetriol values for the immature chimpanzee are presented in Table IV. We wish to point out the range of values depicted in the table, especially the levels of low concentration.

Data were also obtained on the urinary excretion of pregnanediol and pregnanetriol of three adult female chimpanzees (Table V). Chimpanzee No. 132 (FITA) was sampled on 26 June 1961. According to the records, this sample was obtained during post-ovulatory phase of the menstrual cycle. Chimpanzee No. 135 (BETA) was sampled on 23 May 1961. This sample appears to have been obtained in mid-cycle. Chimpanzee No. 3 (VICKIE) was sampled on 28 March 1961 and on 31 March 1961. Chimpanzee No. 3 (VICKIE) was suspected of being pregnant during the period of the sampling. The fact that the animal did flow on 3 April 1961 does not rule out this possibility. The pregnanediol data supports the view that chimpanzee No. 3 (VICKIE) may have been pregnant; the data on the estrogens to be presented in the next section also supports this view. The relatively low values for both pregnanediol and pregnanetriol for chimpanzee No. 135 (BETA) is consistent with values expected at mid-cycle. The value of 1.21 mg. obtained indicates that chimpanzee No. 132 (FITA) was sampled during the luteal phase of the cycle.

F. Estrogens

The urine obtained from an immature male chimpanzee was hydrolyzed successively by glucuronidase and the solvolysis method for urinary steroid sulfates, was extracted and chromatographed for separation of estrone (E_1), estradiol (E_2) and estriol (E_3). Quantitative estimation of the separated estrogens was made fluorometrically. The results (Table VI) indicate that the urine of the immature male chimpanzee contains E_1 , E_2 , and E_3 principally as a glucuronide and sulfate. E_1 appears principally as a sulfate, while E_2 and E_3 are mainly present in the urine as glucuronides. We do not have data from pre-adolescent humans for comparative purposes. We are aware that the values presented in Table VI are much higher than those reported in the literature by other methods.

Estrogen analysis was performed on three samples obtained from chimpanzee No. 3 (VICKIE) (see above) on the following dates: 27 March, 28 March, and 31 March 1961. The data for total estrogens are presented in Table VII.

TABLE V

PREGNANEDIOL AND PREGNANETRIOL ON MATURE FEMALE CHIMPANZEE

Chimpanzee	Age Years	Weight Pounds	Cycles Days	Initiation of last flow	Date of sample	Pregnanediol mg/24 hrs.	Pregnanetriol
Fita	15	95	40-50	5-15-61	6-26-61	1.21	2.80
Beta	8	88	60	4-15-61	5-23-61	.30	.62
Vickie*	15	96	Preg- nant?		3-28-61	7.2	---

*Flow on 4-3-61

TABLE VI
EXCRETION OF ESTROGENS
IN IMMATURE MALE CHIMPANZEE (NO. 42)

mcg/ .5 GM. creatinine*

	β -Gluc.**	SO ₄ ***	Total	% of Total (E ₁ + E ₂ + E ₃)
10 May 1960				
Estrone (E ₁)	.90	1.26	2.16	37.7
Estradiol (E ₂)	.73	.48	1.21	22.2
Estriol (E ₃)	1.42	.65	2.07	38.1
11 May 1960				
Estrone	.75	.86	1.61	41.1
Estradiol	.56	.41	.97	24.7
Estriol	.95	.39	1.34	34.2

*Equivalent to daily excretion

** β -Glucuronidase hydrolysis: includes free (trace amounts)
plus glucuronides

***Sulfates in addition to values under**

It may be noted that the estrogen values, especially for estriol, are surprisingly high. Published data (Ref. 5) give the following values for the three estrogens in early pregnancy urine: E₁, 3.5 - 13.5 mcg/L; E₂, 1.6 - 6.2 mcg/L; and E₃, 60.6 - 194.4 mg/L. It is of interest that the data presented on chimpanzee No. 3 (VICKIE) compares favorably with the published results. The data on pregnanediol as well as estrogens support the possibility that chimpanzee No. 3 (VICKIE) was pregnant at the time of the sampling, even though flow was recorded on 3 April 1961.

TABLE VII
ESTROGEN EXCRETION OF
ADULT FEMALE CHIMPANZEE "VICKIE"

	Total Estrogens mcg/1.0 g. creatinine		
	27 March 1961	28 March 1961	31 March 1961
Estrone	0.185	0.285	3.60
Estradiol	3.90	8.25	7.7
Estriol	133.5	160.5	30.5

IV. ADRENAL CORTICAL CHANGES DURING SIMULATED AND ACTUAL SPACE FLIGHTS

A. 17-Hydroxycorticosteroids (17-OHCS) and 17-Ketosteroids (17-KS)

In Table VIII are presented the 17-KS results, indicating varying degrees of increases in this index during the stress (samples No. 3 and 4). Of particular interest are samples No. 4 of THT-17 (animal No. 42) and THT-18 (animal No. 35). The diurnal variation of 17-KS may be observed in the data. In Table IX are depicted the 17-OHCS data. Here again, we wish to draw attention to the increased 17-OHCS excretion, especially in THT 11 and 17. The urine data available from chimpanzee No. 65 (HAM) (MR-2) during the suborbital flight, indicate moderate to marked increases in 17-OHCS. The increases in both 17-OHCS and 17-KS observed during the suborbital and orbital flight were in the same order as those observed in the severe temperature humidity test stresses.

TABLE VIII
URINARY 17-KETOSTEROIDS

TEST	ANIMAL NO.	TEMP. F	mg/20 mg. creatinine									
			1	2	3	4	5	6	7	8	9	10
THT 16	41	80	--	.15	--	.16	.23	.23	.46	.11	.32	--
THT 16	49	80	.23	.11	.10	---	---	.31	.14	.11	.15	.09
THT 17	42	90	---	.09	.11	.52	.09	.29	.16	---	.31	.10
THT 18	35	90	.22	.15	---	.41	---	.40	.36	.32	.23	.10
THT 18	50	90	.31	.20	.23	---	.41	.68	.26	---	.31	.23
AD-1	42		---	.16	.19	.23	.28	.11	---	.15	.22	.22
MR-2	65		.11	.07	.11	---	---	.09	.20	.08	.08	.08

TABLE IX
URINARY 17-HYDROXYCORTICOSTEROIDS

TEST	ANIMAL NO.	TEMP. F	mg/20 mg creatinine									
			1	2	3	4	5	6	7	8	9	10
THT 10	42	80	.17	.12	.22	---	.15	.14	.04	.13	.06	.07
THT 13	42	80	.08	.07	.14	.17	.24	.13	.06	.06	.07	.17
THT 11	42	85	.13	.09	.31	.20	.08	.15	.32	.07	.08	.10
THT 17	42	90	---	.03	.20	.82	.12	.11	---	.24	---	---
AD-1	42		.16	.10	.07	---	---	---	.03	.04	.11	.08
MR-2	65		---	.03	---	.20	.06	---	.08	.02	---	.04

B. Plasma Cholesterol and 17-Hydroxycorticosteroids

The plasma cholesterol data are presented in Table X. Increases in plasma cholesterol are observed in both "thermally neutral" and "thermally stressful" conditions. No correlation is evident between the increases in plasma cholesterol and the increasing stress experienced by the chimpanzee in terms of temperature. It is significant to observe that where the experiments were terminated before the full programmed 20-hour period, no consistent increases were observed in this index. We wish to emphasize that plasma cholesterol is not being presented as an index of adrenal cortical function. The data are of interest only in the finding that this measure showed increases in both "thermally neutral" and "thermally stressful" conditions when the experiments were run through the full 20-hour period.

TABLE X
PLASMA CHOLESTEROL
mg. %

THT	Animal No.	Temp. F	Pre-	Stress	Post-
4	46	80	271	297	281
5	35	80	196	233	196
8	41	80	218	354	324
10	42	80	165	226	184
13	42	80	156	208	196
11	42	85	133	201	145
12	44	85	208	199	173
14	35	85	242	304	234
18	50	90	253	285	280
18	35	90	242	296	248
19	41	95	219	344	292
23	41	100	269	340	381
23	50	100	280	279	---
24	35	100	273	306	269
24	46	100	259	250	249
25	49	100	292	342	252
25	50	100	263	250	243

The plasma 17-OHCS data are presented in the figure on page 6. As mentioned previously, the "basal" 17-OHCS value of an immature chimpanzee may be considered to be approximately 16 mcg percent. Quantitative increases in sample No. 2 (stress sample) of the 17-OHCS data were observed with increases in temperature. The ceiling appears to be approximately 70 mcg percent. It is noted that AD-1 shows less of an increase than AD-2. Furthermore, the result obtained on chimpanzee No. 65 (HAM) (MR-2) immediately after the suborbital flight, was somewhat less than the value obtained in the 20-hour stress period under 95°F conditions. Interpretation of the above data is difficult due to the varying degrees of time lapse from the point of termination of the stress to the time of sampling.

V. CONCLUSIONS

Preliminary data characterizing steroids of the chimpanzee indicate similarity both qualitatively and quantitatively with those found in the human.

VI. RECOMMENDATIONS

These studies on steroidology of the chimpanzee should be continued with the modern technics now available. This can be accomplished by using the double isotope method (H^3 and C^{14}), which will give accurate secretion rates of steroid hormones such as that of the adrenal and gonads. Consideration should be given to developing technics using principles of automation and telemetry for evaluation of adrenal and gonad function during and after space flights.

REFERENCES

1. Nelson, D. H. and L. T. Samuels. J. Clin. Endocrinol. 12, 519, 1952.
2. Kingsley, G. R. and Schaffert. J. Biol. Chem. 180, 315, 1949.
3. Porter, C. C. and R. H. Silber. J. Biol. Chem. 185, 201, 1950.
4. Pincus, G. J. Clin. Endocrin. 3, 195, 1943.
5. Finkelstein, M., R. Jewelewicz, O. Klein, V. Pfeiffer and S. Sodmoriah-Beck, (1960). In Prenatal Care, pp. 12-26, P. Noordhoff, Groningen, The Netherlands.
6. Stern, M. I. J. Endocrinol. 16, 180, 1957.
7. Mattox, V. R. and M. L. Lewbart. J. Clin. Endocrinol. & Metab. 19, 115, 1960.
8. Rubin, B. L., R. I. Dorfman and G. Pincus. J. Biol. Chem. 203, 626, 1953.
9. Burstein, S. and S. Lieberman. J. Biol. Chem. 233, 331, 1958.
10. Masuda, M. and T. H. Holmes. Pediatrics 19, 424, 1957.
11. Rubin, B. L., R. I. Dorfman and G. Pincus. Recent Progr. Hormone Res. 9, 213, 1954.
12. Kappas, A., O. H. Pearson, C. D. West and T. F. Gallagher. J. Clin. Endocrin. & Metab. 16, 517, 1956.
13. Kappas, A. and T. F. Gallagher. J. Clin. Invest. 33, 1566, 1955.
14. Dobriner, K. J. Clin. Invest. 32, 940, 1953.

DISTRIBUTION

AFSC (SCGB-3) Andrews AFB Wash 25, DC	2	ASD (ASBMA) Wright-Patterson AFB, Ohio	1
HQ USAF (AFRDR-LS) Wash 25, DC	1	ASD (WWB) Wright-Patterson AFB, Ohio	1
HQ USAF (AFCIN-M) Wash 25, DC	1	ASD (ASBAT Library) Wright-Patterson AFB, Ohio	2
AMD ATTN: Chief Scientist Brooks AFB, Texas	1	Central Intelligence Agency Wash 25, DC ATTN: OCR Mail Room	2
AMD (AMAP) Brooks AFB, Texas	10	USAFA (DLIB) USAF Academy, Colo	2
DDC (TISIA-1) Arlington Hall Station Arlington 12, Va	20	Institute of Aeronautical Sciences ATTN: Library Acquisition 2 East 64th St New York 25, NY	1
AFMTC (Tech Library MU-135) Patrick AFB, Fla	1	Commanding Officer Diamond Ordnance Fuze Laboratories ATTN: (ORDTL 012) Wash 25, DC	1
APGC (PGAPI) Eglin AFB, Fla	1	Boeing Airplane Company Aero-Space Division Library 13-84 P. O. Box 3707 Seattle 24, Wash	1
ESD (ESAT) L. G. Hanscom Field Bedford, Mass	1	Central Medical Library Box 11-42 The Boeing Company P.O. Box 3707 Seattle 24, Wash	1
AFFTC (FTOOT) Edwards AFB, Calif	1	Redstone Scientific Information Center U.S. Army Missile Command Redstone Arsenal, Ala	5
AFSWC (SWOI) Kirtland AFB, NMex	1	Commanding General White Sands Missile Range New Mexico ATTN: ORDBS-OM-TL	1
AFSWC (SWRB) Kirtland AFB, NMex	1		
AU (AUL-6008) Maxwell AFB, Ala	1		
AEDC (AEOIM) Arnold AF Stn, Tenn	1		

British Liaison Office Ordnance Mission White Sands Missile Range NMex	1	Life Sciences Dept, Code 5700 U.S. Naval Missile Center Point Mugu, Calif	1
National Library of Medicine 8600 Wisconsin Ave Bethesda 14, Md	3	Commander Naval Air Development Center ATTN: Director, AMAL Johnsville, Pa	2
Defense Research Member Canadian Joint Staff ATTN: Dr. M.G. Whillans Director of Biosciences Research Wash 8, DC	1	Librarian C.A.R.I. F.A.A. P.O. Box 1082 Oklahoma City, Okla	1
Cornell Aeronautical Labs, Inc 4455 Genesee St Buffalo 25, NY	1	ATTN: AM 119.2 C.A.R.I. F.A.A. P.O. Box 1082 Oklahoma City, Okla	1
USAF School of Aerospace Medicine ATTN: Aeromedical Library Brooks AFB, Tex	1	Headquarters U.S. Army R&D Command Main Navy Building ATTN: NP and PP Research Br Wash 25, DC	1
Defense Atomic Support Agency ATTN: DASARA-2 The Pentagon Wash, DC	1	Commanding Officer U.S. Army Medical Research Lab ATTN: Psychology Division Fort Knox, Ky	1
Director Armed Forces Institute of Pathology Walter Reed Army Medical Center ATTN: Deputy Director for the Air Force Wash 25, DC	2	Commanding General Research and Development Div Dept of the Army Wash 25, DC	2
NASA ATTN: Biology and Life Support System Program 1520 H. Street NW Wash 25, DC	1	Director U.S. Naval Research Laboratory (Code 5360) Wash 25, DC	1
Scientific and Technical Information Facility ATTN: NASA Representative (S-AK/DL) P.O. Box 5700 Bethesda, Md	6	Director Office of Naval Research Wash 25, DC	2
Commander U.S. Naval Missile Center Point Mugu, Calif	1	University of California Medical Center ATTN: Biomedical Library Los Angeles 24, Calif	1

Librarian	1	Director	3
U.S. Naval Research Center		Langley Research Center	
Bethesda, Md		NASA	
		ATTN: Librarian	
Director	1	Langley Field, Va	
Walter Reed Army Institute of Research		Librarian	1
ATTN: Neuropsychiatry Division		Quarterly Cumulative Index Medicus	
Wash 25, DC		American Medical Association	
		535 North Dearborn St	
Commanding General	1	Chicago, Ill	
Engineer Research and Development Laboratories		The Rockefeller Institute	1
ATTN: Technical Documents Center		Medical Electronics Center	
Fort Belvoir, Va		66th Street and New York	
		New York 21, NY	
Commanding Officer	2	New Mexico State University	1
U.S. Naval School of Aviation Medicine		University Library	
Pensacola, Fla		University Park, N Mex	
		ATTN: Library	
The STL Technical Library	1	Government Publications Div	1
Space Technology Laboratories, Inc		University of New Mexico Library	
One Space Park		Albuquerque, N Mex	
Redondo Beach, Calif		Princeton University	1
ATTN: Document Procurement Group		The James Forrestal Research Center Library	
Librarian	1	Princeton, NJ	
National Institute of Health		SSD (SSZB)	3
Bethesda, Md		AF Unit Post Office	
		Los Angeles 45, Calif	
Medical Records Section	1	Information Officer	1
Room 325		USAFE French Liaison Office	
Division of Medical Sciences		APO 230	
National Academy of Sciences		New York, NY	
National Research Council		School of Aviation Medicine	1
2101 Constitution Avenue NW		USAF Aerospace Medical Center (ATC)	
Wash 25, DC		ATTN: SAMDYNA,	
Lockheed Missile and Space	1	Capt Bruce H. Warren	
Biomedical System Development Div		Brooks AFB, Tex	
Sunnyvale, Calif		Aerospace Medicine	1
Martin Company	1	The Editor	
Research Library, A-52		394 So. Kenilworth Ave	
Denver Division		Elmhurst, Ill	
Denver 1, Colo			
Aviation Crash Injury Research	1		
a Div of Flt Safety Foundation			
2871 Sky Harbor Blvd			
Sky Harbor Airport			
Phoenix 34, Ariz			

Chief, Pathology Dept Presbyterian - St Lukes Hospital ATTN: Dr. George M. Hass 1753 W. Congress St Chicago 12, Ill	1	Dr. William D. Thompson Department of Psychology Baylor University Waco, Tex	1
Chief, Dept of Pediatrics University of Oregon Medical School ATTN: Dr. Donald Pickering 3171 S.W. Sam Jackson Park Road Portland 1, Ore	1	Institute of Laboratory Animal Resources National Academy of Sciences/ National Research Council 2101 Constitution Ave., N.W. Wash 25, DC	1
Seton Hall College of Medicine and Dentistry Library Medical Center Jersey City 4, NJ	1	Dr. Deets Pickett 8505 Lee Blvd Leawood, Kans	1
Chief, Pathology Dept Evanston Hospital ATTN: Dr. C. Bruce Taylor Evanston, Ill.	1	Dr. Walter J. Frajola M-352 Starling-Loving Hall Ohio State University Columbus 10, Ohio	1
The Decker Corp Advanced Life Sciences Div 45 Monument Road Bala-Cynwyd, Pa	1	Dr. John Rhodes Space Biology Laboratory University of California Medical Center Los Angeles 34, Calif	1
Life Sciences Dept Douglas Aircraft Co Missile and Space Systems Santa Monica, Calif	1	Dr. S. B. Sells Department of Psychology Texas Christian University Fort Worth, Tex	1
Literature Acquisition Dept Biological Abstracts 3815 Walnut St Philadelphia 4, Pa	1	Dr. R. D. Gafford Life Sciences Laboratories Martin Company, Mail No. A-95 P.O. Box 179 Denver 1, Colo	1
The Lovelace Foundation Dept of Aerospace Medicine and Bioastronautics 4800 Gibson Boulevard, S.E. Albuquerque, N Mex	1	Commanding Officer U.S. Naval Medical Field Research Laboratory Camp Lejeune, NC ATTN: Library	1
School of Veterinary Medicine ATTN: Major D. Mosely Ohio State University Columbus, Ohio	1	Commanding Officer and Director U.S. Naval Training Device Center ATTN: Head, Mass Communication Branch (Code 3431) Communications Psychology Div Port Washington, NY	2

Animal Behavior Enterprises, Inc Route 6 Hot Springs, Ark	1	Dr. Robert Shaw Columbia Univ. Electronics Research Lab 632 W. 125th St New York 27, NY	1
DASAMD ATTN: Major D.P. Corkill Wash 25, DC	1	Dr. Robert Shaw Presbyterian Medical Center Clay & Webster Sts San Francisco, Calif	1
ATC (ATTWSW) Randolph AFB, Texas	2	TIC 096-722 S&ID North American Aviation, Inc 12214 Lakewood Blvd Downey, Calif	3
Dr. Merrill E. Noble Department of Psychology Kansas State University Manhattan, Kans	1	Mr. R. H. Vanderlippe Grason-Stadler, Inc West Concord, Mass	1
Dr. Roger T. Kelleher Department of Pharmacology Harvard Medical School 25 Shattuch St Boston 15, Mass	1	Dr. Daniel E. Sheer Dept of Psychology University of Houston Cullen Blvd Houston 4, Texas	1
Dr. N. H. Azrin Behavior Research Laboratory Anna State Hospital 1000 North Main St Anna, Ill	1	Library Oregon Regional Primate Research Center 505 N.W. 185th Avenue Beaverton, Ore	1
Mr. Arnold J. Jacobius Reference Department Science & Technology Division The Library of Congress Wash 25, DC	1		
Document Control Desk The Biosearch Company 88 St. Stephen St Boston 15, Mass	1	<u>LOCAL</u> MDNH NLO RRRT RRRS ARSA (Attn: Capt Gross) AROA MDSA	1 1 3 1 50 30 25
Dr. Norman W. Weissman NASA-Ames Research Center Moffett Field, Calif	1		
Dr. Thom Verhave NASA-Ames Research Center Moffett Field, Calif	1		
Dr. Leon S. Otis Dept of Biobehavioral Sciences Stanford Research Institute Menlo Park, Calif	1		

<p>6571st Aeromedical Research Lab Holloman Air Force Base, NM ARL-TDR-63-17. CHARACTERIZATION OF HORMONAL STEROIDS OF THE CHIM- PANZEE. Interim Rpt, May 1963, 19p, incl tables. 14 refs. Unclassified Report</p> <p>This report attempts to establish (a) the qualitative and quantita- tive nature of steroid hormones of the chimpanzee, and (b) to report changes observed in adrenal</p>	<p>1. Primates 2. Space Flight 3. Steroids 4. Blood Plasma 5. Urine I. AFSC Project 6892, Task 68921 II. Contract AF 29(600)-2439 Worcester Foundation for Experi- mental Bi- ology</p>	<p>6571st Aeromedical Research Lab Holloman Air Force Base, NM ARL-TDR-63-17. CHARACTERIZATION OF HORMONAL STEROIDS OF THE CHIM- PANZEE. Interim Rpt, May 1963, 19p, incl tables. 14 refs. Unclassified Report</p> <p>This report attempts to establish (a) the qualitative and quantita- tive nature of steroid hormones of the chimpanzee, and (b) to report changes observed in adrenal</p>	<p>1. Primates 2. Space Flight 3. Steroids 4. Blood Plasma 5. Urine I. AFSC Project 6892, Task 68921 II. Contract AF 29(600)-2439 Worcester Foundation for Experi- mental Bi- ology</p>	<p>1. Primates 2. Space Flight 3. Steroids 4. Blood Plasma 5. Urine I. AFSC Project 6892, Task 68921 II. Contract AF 29(600)-2439 Worcester Foundation for Experi- mental Bi- ology</p>
--	---	--	---	---

<p>cortical functions during simulated and actual space flights. Steroid determinations made include: Blood: plasma 17-hydroxycorticosteroids (17-OHCS) and cholesterol; Urine: 17-OHCS, 17-ketosteroids (17-KS), estrone, estradiol, estriol, pregnanediol, pregnanetriol, and aldosterone. Quantitative chromatography of 17-KS was also accomplished. Analyses were made on both the mature and immature chimpanzee.</p>	<p>IV. Forchielli, Enrico Elmadjian, Fred V. In DDC collection</p>	<p>cortical functions during simulated and actual space flights. Steroid determinations made include: Blood: plasma 17-hydroxycorticosteroids (17-OHCS) and cholesterol; Urine: 17-OHCS, 17-ketosteroids (17-KS), estrone, estradiol, estriol, pregnanediol, pregnanetriol, and aldosterone. Quantitative chromatography of 17-KS was also accomplished. Analyses were made on both the mature and immature chimpanzee.</p>	<p>IV. Forchielli, Enrico Elmadjian, Fred V. In DDC collection</p>
<p>cortical functions during simulated and actual space flights. Steroid determinations made include: Blood: plasma 17-hydroxycorticosteroids (17-OHCS) and cholesterol; Urine: 17-OHCS, 17-ketosteroids (17-KS), estrone, estradiol, estriol, pregnanediol, pregnanetriol, and aldosterone. Quantitative chromatography of 17-KS was also accomplished. Analyses were made on both the mature and immature chimpanzee.</p>	<p>IV. Forchielli, Enrico Elmadjian, Fred V. In DDC collection</p>	<p>cortical functions during simulated and actual space flights. Steroid determinations made include: Blood: plasma 17-hydroxycorticosteroids (17-OHCS) and cholesterol; Urine: 17-OHCS, 17-ketosteroids (17-KS), estrone, estradiol, estriol, pregnanediol, pregnanetriol, and aldosterone. Quantitative chromatography of 17-KS was also accomplished. Analyses were made on both the mature and immature chimpanzee.</p>	<p>IV. Forchielli, Enrico Elmadjian, Fred V. In DDC collection</p>